

HC4a Prior to the commencement of the development the access to the existing dwellings as shown on drawing number 5140/17/03 Rev A shall be constructed so that there is clear visibility from a point 1.05 metres above ground level at the centre of the access and 2.4 metres distant from the edge of the adjoining carriageway, to points 0.6 metres above ground level at the edge of the adjoining carriageway and 59 metres distant in a easterly direction and 33 metres in a westerly direction measured from the centre of the access along the edge of the adjoining carriageway. Nothing shall be planted, erected or allowed to grow on the area(s) of land so formed that would obstruct the visibility and the visibility shall be maintained free from obstruction for as long as the development hereby permitted remains in existence.

HC7 Prior to the commencement of the development the area of the access for plots 1 & 2 to be used by vehicles is to be constructed to a minimum of 410mm depth, comprising a minimum of 250mm of sub-base material, 100mm of bituminous macadam base course material and 60mm of bituminous macadam binder course material for a distance of 10 metres from the edge of the adjoining carriageway. Any use of alternative materials is to be agreed in writing by the Local Planning Authority prior to the access being constructed.

HC7a Prior to the commencement of the development the area of the access for the existing dwellings to be used by vehicles is to be constructed to a minimum of 410mm depth, comprising a minimum of 250mm of sub-base material, 100mm of bituminous macadam base course material and 60mm of bituminous macadam binder course material for a distance of 5.5 metres from the edge of the adjoining carriageway. Any use of alternative materials is to be agreed in writing by the Local Planning Authority prior to the access being constructed.

HC8 Prior to the occupation of any dwelling, provision shall be made within the curtilage of the site for the parking of not less than one car per bedroom excluding any garage space provided together with a turning space such that all vehicles serving the site may both enter and leave the site in a forward gear. The parking and turning areas shall be retained for their designated use for as long as the development hereby permitted remains in existence.

HC11 Prior to the commencement of the development provision shall be made within the curtilage of the site for the parking of all construction vehicles together with a vehicle turning area. This parking and turning area shall be constructed to a depth of 0.4 metres in crusher run or sub-base and maintained free from obstruction at all times such that all vehicles serving the site shall park within the site and both enter and leave the site in a forward gear for the duration of the construction of the development.

HC12 The width of the accesses carriageway, constructed as Condition HC7 above, shall be not less than 5.5 metres for a minimum distance of 10 metres along the access measured from the adjoining edge of carriageway of the county highway and shall be maintained at this width for as long as the development remains in existence.

HC12a The width of the access carriageway, constructed as Condition HC7a above, shall be not less than 5.5 metres for a minimum distance of 5.5 metres along the access measured from the adjoining edge of carriageway of the county highway and shall be maintained at this width for as long as the development remains in existence.

HC13 Prior to the occupation of plots 1 or 2 a radius of 10.5 metres shall be provided from the carriageway of the county highway on each side of the access to the development site and shall be maintained for as long as the development remains in existence.

HC13a Prior to the occupation of plots 1 or 2 a radius of 6 metres shall be provided from the carriageway of the county highway on each side of the access to the existing dwellings and shall be maintained for as long as the development remains in existence.

HC21 Prior to the occupation of any dwelling the area of the accesses to be used by vehicles for plot 1 or 2 is to be finished in a 40mm bituminous surface course for a distance of 10 metres from the edge of the adjoining carriageway. This area will be maintained to this standard for as long as the development remains in existence

HC21a Prior to the occupation of either plot 1 or 2 the area of the accesses to be used by vehicles is for the existing dwellings to be finished in a 40mm bituminous surface course for a distance of 5.5 metres from the edge of the adjoining carriageway. This area will be maintained to this standard for as long as the development remains in existence,

HC29 All surface water run-off is to be collected and discharged via a piped system to a soakaway located within the site no less than 6 metres from the highway. This system shall be retained and maintained for as long as the development remains in existence.

HC30 Upon formation of the visibility splays as detailed in HC4 and HC4a above the centreline of any new or relocated hedge should be positioned not less than 1.0 metre to the rear of the visibility splay and retained in this position as long as the development remains in existence.

HC32 No storm water drainage from the site shall be allowed to discharge onto the county highway.

To ensure that adequate provision is made for highway access onto the County Class III road to serve the approved development in accordance with policies GP1 and GP4 of the Powys Unitary Development Plan.

RECOMMENDATION

Although it is noted that the proposed development is a departure from the adopted development plan, considerable weight must be given to the need to increasing housing land supply. It is considered that the need to increase housing land supply within the county warrants the approval of this development contrary to the provisions of the development plan. The recommendation is therefore one of conditional consent.

Conditions

1. Details of the appearance, landscaping, layout, and scale, (hereinafter called "the reserved matters") shall be submitted to and approved in writing by the local planning authority before any development begins and the development shall be carried out as approved.
2. Any application for approval of the reserved matters shall be made to the local planning authority not later than three years from the date of this permission.

3. The development shall begin either before the expiration of five years from the date of this permission or before the expiration of two years from the date of approval of the last of the reserved matters to be approved, whichever is the later.
4. The development shall be carried out strictly in accordance with the plans stamped as approved on XXX (drawing no's: Location Plan 5140/17/01 Rev A and Proposed Block Plan, 5140/17/03 Rev A).
5. Prior to commencement of development, a great crested newts Reasonable Avoidance Method Statement shall be submitted to the Local Planning Authority and implemented as approved and maintained thereafter.
6. Prior to the first installation of any external lighting a lighting design scheme to take into account any impacts on nocturnal wildlife into consideration shall be submitted for written Local Planning Authority approval and implemented as approved and maintained thereafter.
7. Prior to the occupation of any dwelling any entrance gates shall be set back at least 10 metres distant from the edge of the adjoining carriageway and shall be constructed so as to be incapable of opening towards the highway and shall be retained in this position and form of construction for as long as the dwelling/development hereby permitted remains in existence.
8. Prior to the commencement of the development the access to plots 1 & 2 as shown on drawing number 5140/17/03 Rev A shall be constructed so that there is clear visibility from a point 1.05 metres above ground level at the centre of the access and 2.4 metres distant from the edge of the adjoining carriageway, to points 0.6 metres above ground level at the edge of the adjoining carriageway and 160 metres distant in a easterly direction and 59 meters in a westerly direction measured from the centre of the access along the edge of the adjoining carriageway. Nothing shall be planted, erected or allowed to grow on the area(s) of land so formed that would obstruct the visibility and the visibility shall be maintained free from obstruction for as long as the development hereby permitted remains in existence.
9. Prior to the commencement of the development the access to the existing dwellings as shown on drawing number 5140/17/03 Rev A shall be constructed so that there is clear visibility from a point 1.05 metres above ground level at the centre of the access and 2.4 metres distant from the edge of the adjoining carriageway, to points 0.6 metres above ground level at the edge of the adjoining carriageway and 59 metres distant in a easterly direction and 33 meters in a westerly direction measured from the centre of the access along the edge of the adjoining carriageway. Nothing shall be planted, erected or allowed to grow on the area(s) of land so formed that would obstruct the visibility and the visibility shall be maintained free from obstruction for as long as the development hereby permitted remains in existence.
10. Prior to the commencement of the development the area of the access for plots 1 & 2 to be used by vehicles is to be constructed to a minimum of 410mm depth, comprising a minimum of 250mm of sub-base material, 100mm of bituminous macadam base course material and 60mm of bituminous macadam binder course material for a distance of 10 metres from the edge of the adjoining carriageway. Any use of alternative materials is to be agreed in writing by the Local Planning Authority prior to the access being constructed.
11. Prior to the commencement of the development the area of the access for the existing dwellings to be used by vehicles is to be constructed to a minimum of 410mm depth, comprising a minimum of 250mm of sub-base material, 100mm of bituminous macadam base course material and 60mm of bituminous macadam binder course material for a distance of 5.5 metres from the edge of the adjoining carriageway. Any use of alternative materials is to be agreed in writing by the Local Planning Authority prior to the access being constructed.
12. Prior to the occupation of any dwelling, provision shall be made within the curtilage of the site for the parking of not less than one car per bedroom excluding any garage space

provided together with a turning space such that all vehicles serving the site may both enter and leave the site in a forward gear. The parking and turning areas shall be retained for their designated use for as long as the development hereby permitted remains in existence.

13. Prior to the commencement of the development provision shall be made within the curtilage of the site for the parking of all construction vehicles together with a vehicle turning area. This parking and turning area shall be constructed to a depth of 0.4 metres in crusher run or sub-base and maintained free from obstruction at all times such that all vehicles serving the site shall park within the site and both enter and leave the site in a forward gear for the duration of the construction of the development.

14. The width of the accesses carriageway, constructed as Condition HC7 above, shall be not less than 5.5 metres for a minimum distance of 10 metres along the access measured from the adjoining edge of carriageway of the county highway and shall be maintained at this width for as long as the development remains in existence.

15. The width of the access carriageway, constructed as Condition 11 above, shall be not less than 5.5 metres for a minimum distance of 5.5 metres along the access measured from the adjoining edge of carriageway of the county highway and shall be maintained at this width for as long as the development remains in existence.

16. Prior to the occupation of plots 1 or 2 a radius of 10.5 metres shall be provided from the carriageway of the county highway on each side of the access to the development site and shall be maintained for as long as the development remains in existence.

17. Prior to the occupation of plots 1 or 2 a radius of 6 metres shall be provided from the carriageway of the county highway on each side of the access to the existing dwellings and shall be maintained for as long as the development remains in existence.

18. Prior to the occupation of any dwelling the area of the accesses to be used by vehicles for plot 1 or 2 is to be finished in a 40mm bituminous surface course for a distance of 10 metres from the edge of the adjoining carriageway. This area will be maintained to this standard for as long as the development remains in existence

19. Prior to the occupation of either plot 1 or 2 the area of the accesses to be used by vehicles is for the existing dwellings to be finished in a 40mm bituminous surface course for a distance of 5.5 metres from the edge of the adjoining carriageway. This area will be maintained to this standard for as long as the development remains in existence,

20. All surface water run-off is to be collected and discharged via a piped system to a soakaway located within the site no less than 6 metres from the highway. This system shall be retained and maintained for as long as the development remains in existence.

21. Upon formation of the visibility splays as detailed in 8 and 9 above the centreline of any new or relocated hedge should be positioned not less than 1.0 metre to the rear of the visibility splay and retained in this position as long as the development remains in existence.

22. No storm water drainage from the site shall be allowed to discharge onto the county highway.

Reasons

1. To enable the Local Planning Authority to exercise proper control over the development in accordance with Section 92 of the Town and Country Planning Act 1990.

2. Required to be imposed by Section 92 of the Town and Country Planning Act 1990.

3. Required to be imposed by Section 92 of the Town and Country Planning Act 1990.

4. To ensure adherence to the plans stamped as approved in the interests of clarity and a satisfactory development.

5. To comply with Powys County Council's UDP Policies SP3, ENV2, ENV3 and ENV7 in relation to The Natural Environment and to meet the requirements of TAN 5:

Nature Conservation and Planning, Welsh government strategies, and the NERC Act 2006.

6. To comply with Powys County Council's UDP Policies SP3 and ENV3 in relation to The Natural Environment and to meet the requirements of Planning Policy Wales (Edition 9, November 2016), TAN 5: Nature Conservation and Planning and Part 1 Section 6 of the Environment (Wales) Act 2016.
7. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
8. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
9. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
10. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
11. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
12. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
13. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
14. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
15. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
16. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
17. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
18. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
19. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
20. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
21. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.
22. In the interests of highway safety and in accordance with the provisions of Powys UDP Policy GP1 and GP4.